


AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

Listing of claims:

Claims 1 and 2 (canceled).

Claim 3 (previously presented). A compound of Formula III



III

or a pharmaceutically acceptable salt thereof;

wherein:

R^1 is H, $(O)_n C_1-C_6$ alkyl, $(O)_n$ substituted C_1-C_6 alkyl, NO_2 , $NR^5 R^6$,
CHO, or halo;

m is an integer from 0 to 6;

R^5 and R^6 independently are hydrogen, C_1-C_6 alkyl, substituted C_1-C_6 alkyl, $(CH_2)_m$ aryl, $(CH_2)_m$ substituted aryl, $(CH_2)_m$ heteroaryl, $(CH_2)_m$ substituted heteroaryl, or R^5 and R^6 are taken together with the nitrogen atom to which they are attached complete a 3- to 7-membered ring containing carbon atoms, the nitrogen atom bearing R^5 and R^6 , and optionally 1 or 2 heteroatoms independently selected from O, S, and NR^2 ;

n is 0 or 1;

R^2 is CO_2CH_2 aryl, CO_2CH_2 heteroaryl, CONHCH_2 aryl, or CONHCH_2 heteroaryl, wherein the aryl and heteroaryl groups are unsubstituted or substituted,

R^3 is H, and

R^4 is CH_2 aryl, CH_2 substituted aryl, CH_2 heteroaryl, or CH_2 substituted heteroaryl;

wherein substituted $\text{C}_1\text{-C}_6$ alkyl is a straight or branched hydrocarbon chain of from 1 to 6 carbon atoms, wherein the chain is substituted with from 1 to 3 groups selected from the group consisting of NR^4R^5 , phenyl, substituted phenyl, heteroaryl, substituted heteroaryl, heterocycle, thio $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ alkoxy, hydroxy, carboxy, $\text{C}_1\text{-C}_6$ alkoxycarbonyl, halo, nitrile, cycloalkyl, a 5- and 6-membered carbocyclic ring, and a heterocyclic ring having 1 or 2 heteroatoms selected from the group consisting of nitrogen, substituted nitrogen, oxygen, and sulfur;

NR^4R^5 is amino, methylamino, di-isopropylamino, acetyl amino, propionyl amino, 3-aminopropyl amino, 3-ethylaminobutyl amino, 3-di-n-propylamino-propyl amino, 4-diethylaminobutyl amino, and 3-carboxypropionyl amino; or R^4 and R^5 can be taken together with the nitrogen to which they are attached to form a ring having 3 to 7 carbon atoms and 1, 2, or 3 heteroatoms selected from the group consisting of nitrogen, substituted nitrogen, oxygen, and sulfur;

substituted aryl is phenyl or naphthyl substituted by 1, 2, or 3 groups independently selected from the group consisting of alkyl, alkoxy, alkoxycarbonyl, thio, thioalkyl, $(\text{C}_1\text{-C}_6 \text{ alkyl})\text{sulfanyl}$, $(\text{C}_1\text{-C}_6 \text{ alkyl})\text{sulfonyl}$, halo, hydroxy, $(\text{CH}_2)_{0-6}\text{CO}_2\text{R}^7$, trifluoromethyl,

trifluoromethoxy, nitro, amino of the formula $-NR^4R^5$, $C(=O)NR^5R^6$, $N(R^4)C(=O)OR^5$, $T(CH_2)_mQR^4$, and $T(CH_2)_mCO_2R^4$, wherein m is 1 to 6, T is O, S, NR^4 , $N(O)R^4$, NR^4R^6Y , or CR^4R^5 , Q is O, S, NR^5 , $N(O)R^5$, or NR^5R^6Y , wherein R^4 - R^6 are as described above, and R^7 is methyl, trichloroethyl, diphenylmethyl;

substituted heteroaryl is a thienyl, furanyl, pyrrolyl, isoxazolyl, isothiazolyl, imidazolyl, pyrazolyl, oxazolyl, thiazolyl, 1,2,4-oxadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, tetrazolyl, benzofuranyl, benzothienyl, indolyl, benzimidazolyl, benztriazolyl, benzoxazolyl, benzthiazolyl, pyridinyl, pyrimidinyl, quinolinyl, isoquinolinyl, or 2-oxo-2H-1-benzopyranyl that is substituted on a carbon atom by 1, 2, or 3 groups independently selected from the group consisting of alkyl, alkoxy, alkoxycarbonyl, thio, thioalkyl, $(C_1-C_6 \text{ alkyl})\text{sulfanyl}$, $(C_1-C_6 \text{ alkyl})\text{sulfonyl}$, halo, hydroxy, $(CH_2)_{0-6}CO_2R^7$, trifluoromethyl, trifluoromethoxy, nitro, amino of the formula $-NR^4R^5$, $C(=O)NR^5R^6$, $N(R^4)C(=O)OR^5$, $T(CH_2)_mQR^4$, and $T(CH_2)_mCO_2R^4$, wherein m is 1 to 6, T is O, S, NR^4 , $N(O)R^4$, NR^4R^6Y , or CR^4R^5 , Q is O, S, NR^5 , $N(O)R^5$, or NR^5R^6Y , wherein R^4 - R^6 are as described above, and R^7 is methyl, trichloroethyl, diphenylmethyl and optionally further substituted on a ring nitrogen atom with $(C_1-C_6 \text{ alkyl}) C(=O)$, $C_1-C_6 \text{ alkyl}$, $C_2-C_6 \text{ alkenyl}$, $C_2-C_{10} \text{ alkynyl}$, or benzyl.

Claim 4 (currently amended). The A compound according to Claim 3, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carbothioic acid benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carbothioic acid 4-methoxy-benzylamide.

6-Benzyl-2-(3-phenyl-propionyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid prop-2-ynylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (piperidin-4-ylmethyl)-amide hydrochloride;

6-Benzyl-2-(1-hydroxy-3-phenyl-allyl)-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-Benzyl-2-(1-hydroxy-3-phenyl-prop-2-ynyl)-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-Benzyl-2-(hydroxy-phenyl-methyl)-thiazolo[3,2-c]pyrimidine-5,7-dione; and

6-Benzyl-2-(1-hydroxy-3-phenyl-propyl)-thiazolo[3,2-c]pyrimidine-5,7-dione.

Claims 5 to 9 (canceled).


Claim 10 (previously presented). A compound, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

6-Benzyl-5,7-dioxo-2,3,6,7-tetrahydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester 2,3-Dihydroxypropionic acid benzyl ester;

6-Benzyl-5,7-dioxo-2,3,6,7-tetrahydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid pyridin-4-ylmethyl ester hydrochloride; and

6-Benzyl-1,5,7-trioxo-1,2,3,5,6,7-hexahydro-1⁴-thiazolo[3,2-c]pyrimidine-3-carboxylic acid benzyl ester.

Claim 11 (previously presented). A compound of Formula VIII



VIII

or a pharmaceutically acceptable salt thereof, wherein:

R¹ is H, CH₃, CH₂OH, or CHO

R² is (CO₂)(CH₂)_m aryl, (CO₂)(CH₂)_m substituted aryl, (CO₂)(CH₂)_m heteroaryl, (CO₂)(CH₂)_m substituted heteroaryl, C(=O)N(R⁵)-(CH₂)_m-aryl, C(=O)N(R⁵)-(CH₂)_m substituted aryl, C(=O)N(R⁵)-(CH₂)_m heteroaryl, C(=O)N(R⁵)-(CH₂)_m substituted heteroaryl, C≡C-(CH₂)_m aryl, C≡C-(CH₂)_m substituted aryl, C≡C-(CH₂)_m heteroaryl, or C≡C-(CH₂)_m substituted heteroaryl, wherein R⁵ is hydrogen or methyl;

R³ is hydrogen or fluoro;

R⁴ is C₂-C₆ alkenyl, substituted C₂-C₆ alkenyl, C₁-C₆ alkyl, substituted C₁-C₆ alkyl, C₂-C₁₀ alkenyl, substituted C₂-C₁₀ alkynyl, (CH₂)_mCOR⁵, (CH₂)_mS(O)₀₋₂-(CH₂)_n aryl, C(=O)N(R⁵)-(CH₂)_maryl, (CH₂)_m-O-aryl, (CH₂)_mS(O)₀₋₂-(CH₂)_n substituted aryl, C(=O)N(R⁵)-(CH₂)_m substituted aryl, (CH₂)_m-O-substituted aryl, (CO₂)_n(CH₂)_m aryl, (CO₂)_n(CH₂)_m substituted aryl, (CO₂)_n(CH₂)_m heteroaryl, (CO₂)_n(CH₂)_m substituted heteroaryl,

$(\text{CO}_2)_n(\text{CH}_2)_m$ carbocycle, or $(\text{CO}_2)_n(\text{CH}_2)_m$ substituted carbocycle, wherein

n is 0 or 1;

m is an integer of from 0 to 6; and

R^5 is hydrogen, $\text{C}_1\text{-C}_6$ alkyl, substituted $\text{C}_1\text{-C}_6$ alkyl, $(\text{CH}_2)_m$ aryl,

$(\text{CH}_2)_m$ substituted aryl, $(\text{CH}_2)_m$ heteroaryl, or $(\text{CH}_2)_m$ substituted heteroaryl;

wherein substituted $\text{C}_1\text{-C}_6$ alkyl is a straight or branched hydrocarbon chain of from 1 to 6 carbon atoms, wherein the chain is substituted with from 1 to 3 groups selected from the group consisting of NR^4R^5 , phenyl, substituted phenyl, heteroaryl, substituted heteroaryl, heterocycle, thio $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ alkoxy, hydroxy, carboxy, $\text{C}_1\text{-C}_6$ alkoxycarbonyl, halo, nitrile, cycloalkyl, a 5- and 6-membered carbocyclic ring, and a heterocyclic ring having 1 or 2 heteroatoms selected from the group consisting of nitrogen, substituted nitrogen, oxygen, and sulfur;

NR^4R^5 is amino, methylamino, di-isopropylamino, acetyl amino, propionyl amino, 3-aminopropyl amino, 3-ethylaminobutyl amino, 3-di-n-propylamino-propyl amino, 4-diethylaminobutyl amino, and 3-carboxypropionyl amino; or R^4 and R^5 can be taken together with the nitrogen to which they are attached to form a ring having 3 to 7 carbon atoms and 1, 2, or 3 heteroatoms selected from the group consisting of nitrogen, substituted nitrogen, oxygen, and sulfur;

substituted aryl is phenyl or naphthyl substituted by 1, 2, or 3 groups independently selected from the group consisting of alkyl, alkoxy, alkoxycarbonyl, thio, thioalkyl, $(\text{C}_1\text{-C}_6 \text{ alkyl})\text{sulfanyl}$, $(\text{C}_1\text{-C}_6 \text{ alkyl})\text{sulfonyl}$, halo, hydroxy, $(\text{CH}_2)_{0-6}\text{CO}_2\text{R}^7$, trifluoromethyl,

trifluoromethoxy, nitro, amino of the formula $-NR^4R^5$, $C(=O)NR^5R^6$, $N(R^4)C(=O)OR^5$, $T(CH_2)_mQR^4$, and $T(CH_2)_mCO_2R^4$, wherein m is 1 to 6, T is O, S, NR^4 , $N(O)R^4$, NR^4R^6Y , or CR^4R^5 , Q is O, S, NR^5 , $N(O)R^5$, or NR^5R^6Y , wherein R^4 - R^6 are as described above, and R^7 is methyl, trichloroethyl, diphenylmethyl;

substituted heteroaryl is a thienyl, furanyl, pyrrolyl, isoxazolyl, isothiazolyl, imidazolyl, pyrazolyl, oxazolyl, thiazolyl, 1,2,4-oxadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, tetrazolyl, benzofuranyl, benzothienyl, indolyl, benzimidazolyl, benztriazolyl, benzoxazolyl, benzthiazolyl, pyridinyl, pyrimidinyl, quinolinyl, isoquinolinyl, or 2-oxo-2H-1-benzopyranyl that is substituted on a carbon atom by 1, 2, or 3 groups independently selected from the group consisting of alkyl, alkoxy, alkoxycarbonyl, thio, thioalkyl, $(C_1-C_6 \text{ alkyl})\text{sulfanyl}$, $(C_1-C_6 \text{ alkyl})\text{sulfonyl}$, halo, hydroxy, $(CH_2)_{0-6}CO_2R^7$, trifluoromethyl, trifluoromethoxy, nitro, amino of the formula $-NR^4R^5$, $C(=O)NR^5R^6$, $N(R^4)C(=O)OR^5$, $T(CH_2)_mQR^4$, and $T(CH_2)_mCO_2R^4$, wherein m is 1 to 6, T is O, S, NR^4 , $N(O)R^4$, NR^4R^6Y , or CR^4R^5 , Q is O, S, NR^5 , $N(O)R^5$, or NR^5R^6Y , wherein R^4 - R^6 are as described above, and R^7 is methyl, trichloroethyl, diphenylmethyl and optionally further substituted on a ring nitrogen atom with $(C_1-C_6 \text{ alkyl}) C(=O)$, $C_1-C_6 \text{ alkyl}$, $C_2-C_6 \text{ alkenyl}$, $C_2-C_{10} \text{ alkynyl}$, or benzyl;

substituted $C_2-C_6 \text{ alkenyl}$ is a straight or branched hydrocarbon radical group having from 2 to 6 carbon atoms and one double bond, wherein the hydrocarbon radical is substituted with from 1 to 3 groups as defined above for substituted $C_1-C_6 \text{ alkyl}$;

substituted C₂-C₁₀ alkynyl is a straight or branched hydrocarbon radical having from 2 to 6 carbon atoms and one triple bond wherein the hydrocarbon radical is substituted with from 1 to 3 groups as defined above for substituted C₁-C₆ alkyl;

substituted carbocycle is a cyclopropyl, cycloheptyl, cyclooctyl, cyclodecyl, cyclobutyl, adamantyl, norpinanyl, decalinyl, norbornyl, cyclohexyl, or cyclopentyl that is substituted with hydroxy or keto.

Claim 12 (original). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, wherein:

R¹ is H or CH₃;

R² is C(=O)N(R⁵)-(CH₂)_m aryl, C(=O)N(R⁵)-(CH₂)_m substituted aryl, C(=O)N(R⁵)-(CH₂)_mheteroaryl, C(=O)N(R⁵)-(CH₂)_msubstituted heteroaryl, C≡C-(CH₂)_maryl, C≡C-(CH₂)_msubstituted aryl, C≡C-(CH₂)_mheteroaryl, or C≡C-(CH₂)_msubstituted heteroaryl, wherein R⁵ is H or methyl;

R³ is hydrogen or fluoro;

R⁴ is (CO₂)_n(CH₂)_maryl, (CO₂)_n(CH₂)_msubstituted aryl, (CO₂)_n(CH₂)_mheteroaryl, (CO₂)_n(CH₂)_msubstituted heteroaryl, (CO₂)_n(CH₂)_mcarbocycle, or (CO₂)_n(CH₂)_msubstituted carbocycle, wherein:

n is 0 or 1, and

m is an integer of from 0 to 6.

Claim 13 (original). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, wherein:

R^1 is H or CH_3 ;

R^2 is $C\equiv C-(CH_2)_m$ aryl, $C\equiv C-(CH_2)_m$ substituted aryl,

$C\equiv C-(CH_2)_m$ heteroaryl, or $C\equiv C-(CH_2)_m$ substituted heteroaryl,

wherein:

m is 1;

R_3 is hydrogen or fluoro; and

R_4 is $(CO_2)_n(CH_2)_m$ aryl, $(CO_2)_n(CH_2)_m$ substituted aryl,

$(CO_2)_n(CH_2)_m$ heteroaryl, $(CO_2)_n(CH_2)_m$ substituted heteroaryl,

$(CO_2)_n(CH_2)_m$ carbocycle, or $(CO_2)_n(CH_2)_m$ substituted

carbocycle, wherein

n is 0 and m is 1.

Claim 14 (original). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, wherein:

R_1 is H or CH_3 ;

R_2 is $C(=O)N(R^5)-(CH_2)_m$ aryl, $C(=O)N(R^5)-(CH_2)_m$ substituted aryl,

$C(=O)N(R^5)-(CH_2)_m$ heteroaryl, or $C(=O)N(R^5)-$

$(CH_2)_m$ substituted heteroaryl,

wherein m is 1 and R^5 is H or CH_3 ;

R^3 is hydrogen or fluoro; and

R^4 is $(CO_2)_n(CH_2)_m$ aryl, $(CO_2)_n(CH_2)_m$ substituted aryl,

$(CO_2)_n(CH_2)_m$ heteroaryl, $(CO_2)_n(CH_2)_m$ substituted heteroaryl,

$(CO_2)_n(CH_2)_m$ carbocycle, or $(CO_2)_n(CH_2)_m$ substituted

carbocycle, wherein

n is 0 and m is 1.

Claim 15 (previously presented). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

- 4-[8-Methyl-5,7-dioxo-2-(3-phenyl-prop-1-ynyl)-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid;
- 4-{2-[3-(4-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzoic acid;
- 4-{2-[3-(4-Fluoro-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzoic acid;
- 4-{2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzoic acid;
- 4-{2-[3-(3,4-Difluoro-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzoic acid;
- 6-Benzyl-8-methyl-2-(3-pyridin-4-yl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;
- 6-(3,4-Dichloro-benzyl)-8-methyl-2-(3-pyridin-4-yl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;
- 6-(3,4-Dichloro-benzyl)-2-[3-(2-methoxy-pyridin-4-yl)-prop-1-ynyl]-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;
- 6-Benzyl-8-methyl-2-phenylethynyl-thiazolo[3,2-c]pyrimidine-5,7-dione;
- 6-(4-Bromo-benzyl)-2-[3-(3-methoxy-phenyl)-prop-1-ynyl]-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;
- 4-{2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzenesulfonamide;
- 4-{2-[3-(3-Fluoro-4-methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzoic acid;
- 6-(4-Fluoro-benzyl)-8-methyl-2-(3-phenyl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-Benzyl-8-methyl-2-(3-phenyl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-(3,4-Dichloro-benzyl)-2-[3-(3-methoxy-phenyl)-prop-1-ynyl]-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-(4-Methanesulfonyl-benzyl)-8-methyl-2-(3-pyridin-4-yl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

4-{2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzonitrile;

4-[8-Methyl-5,7-dioxo-2-(3-phenyl-prop-1-ynyl)-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid;

2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-6-[4-(2H-tetrazol-5-yl)-benzyl]-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-Benzyl-2-[3-(3-methoxy-phenyl)-prop-1-ynyl]-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-Benzyl-8-methyl-2-(3-phenyl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-6-[4-(morpholine-4-carbonyl)-benzyl]-thiazolo[3,2-c]pyrimidine-5,7-dione;

8-Methyl-6-[4-(morpholine-4-sulfonyl)-benzyl]-2-(3-pyridin-4-yl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

2-[3-(4-Fluoro-phenyl)-prop-1-ynyl]-8-methyl-6-(2-oxo-2H-1-benzopyran-6-ylmethyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-6-(2-oxo-2H-1-benzopyran-6-ylmethyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

4-[8-Methyl-5,7-dioxo-2-(4-phenyl-but-1-ynyl)-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid;

4-[8-Methyl-5,7-dioxo-2-(6-phenyl-hex-1-ynyl)-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid;

4-[8-Methyl-5,7-dioxo-2-(5-phenyl-pent-1-ynyl)-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid;

4-[8-Methyl-5,7-dioxo-2-(7-phenyl-hept-1-ynyl)-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid;

(4-{2-[3-(3,4-Difluoro-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-phenyl)-acetic acid;

6-(3-Fluoro-benzyl)-8-methyl-2-(3-pyridin-4-yl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-(3,4-Difluoro-benzyl)-8-methyl-2-(3-pyridin-4-yl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-(3-Fluoro-benzyl)-2-[3-(2-methoxy-pyridin-4-yl)-prop-1-ynyl]-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

[3-(8-Methyl-5,7-dioxo-2-phenylethynyl-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl)-phenyl]-acetic acid;

6-(4-Bromo-benzyl)-2-[3-(4-fluoro-3-methoxy-phenyl)-prop-1-ynyl]-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

4-{2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-N,N-dimethyl-benzenesulfonamide;

4-{2-[3-(3-Fluoro-4-methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-cyclohexanecarboxylic acid;

6-(3,4-Difluoro-benzyl)-2-[3-(3,4-difluoro-phenyl)-prop-1-ynyl]-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

4-[8-Methyl-5,7-dioxo-2-(3-phenyl-prop-1-ynyl)-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-cyclohexanecarboxylic acid;

2-Chloro-4-{2-[3-(3-methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzoic acid;

2-[3-(4-Fluoro-phenyl)-prop-1-ynyl]-6-(4-methanesulfonyl-benzyl)-8-methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

4-{2-[3-(4-Fluoro-3-methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzonitrile;

(3-{2-[3-(4-Fluoro-3-methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-phenyl)-acetic acid;

(4-{2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-phenyl)-acetic acid;

6-(3,4-Difluoro-benzyl)-8-methyl-2-(3-phenyl-prop-1-ynyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

2-[3-(3-Methoxy-phenyl)-prop-1-ynyl]-8-methyl-6-[4-(thiomorpholine-4-carbonyl)-benzyl]-thiazolo[3,2-c]pyrimidine-5,7-dione;

8-Methyl-2-(3-pyridin-4-yl-prop-1-ynyl)-6-[4-(thiomorpholine-4-sulfonyl)-benzyl]-thiazolo[3,2-c]pyrimidine-5,7-dione;

2-[3-(4-Fluoro-3-methoxy-phenyl)-prop-1-ynyl]-8-methyl-6-(2-oxo-2H-1-benzopyran-6-ylmethyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

and

2-[3-(3-Methoxy-4-methyl-phenyl)-prop-1-ynyl]-8-methyl-6-(2-oxo-2H-1-benzopyran-6-ylmethyl)-thiazolo[3,2c]pyrimidine-5,7-dione.

Claim 16 (previously presented). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;

6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid biphenyl-4-ylamide;

6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-fluoro-benzylamide;

6-Benzoyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;

6-(3,4-Dichloro-benzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;

6-(4-Chloro-benzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;

6-(4-Chloro-benzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dichloro-benzylamide;

5,7-Dioxo-6-pyridin-4-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide hydrochloride;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dichlorobenzylamide;

6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 2,4-dichloro-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-methyl-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-Benzyl-8-formyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (1H-indol-5-ylmethyl)-amide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (thiazol-4-ylmethyl)-amide hydrochloride;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide hydrochloride;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (imidazo[2,1-b]thiazol-6-ylmethyl)-amide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (1-methyl-1H-pyrazol-4-ylmethyl)-amide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-2-ylmethyl)-amide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2,1,3-benzothiadiazol-5-ylmethyl)-amide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-difluoro-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide hydrochloride;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-fluoro-4-methoxy-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-2-ylmethyl)-amide hydrochloride;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methyl-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-trifluoromethyl-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-chloro-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-trifluoromethoxy-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-thiazol-4-ylmethyl)-amide hydrochloride;

4-[2-(4-Methoxy-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid;

4-[2-(4-Methoxy-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid Sodium salt;

4-[2-(4-Methoxy-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid 2-dimethylamino-ethyl ester hydrochloride;

4-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid;

4-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid Sodium salt;

4-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid 2-dimethylamino-ethyl ester;

4-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid 2-dimethylamino-ethyl ester hydrochloride;

4-{8-Methyl-5,7-dioxo-2-[(pyridin-4-ylmethyl)-carbamoyl]-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzoic acid trifluoro-acetic acid salt;

4-{8-Methyl-5,7-dioxo-2-[(pyridin-4-ylmethyl)-carbamoyl]-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl}-benzoic acid 2-dimethylamino-ethyl ester dihydrochloride;

8-Methyl-6-(2-methyl-thiazol-4-ylmethyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

2-Chloro-4-[2-(4-fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid methyl ester;

8-Methyl-5,7-dioxo-6-(2H-tetrazol-5-ylmethyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-5,7-dioxo-6-thiazol-2-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide hydrochloride;

4-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-2-methyl-benzoic acid methyl ester;

4-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-2-methoxy-benzoic acid methyl ester;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

8-Methyl-6-[4-(morpholine-4-carbonyl)-benzyl]-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

{5-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-isoxazol-3-yl}-carbamic acid methyl ester;

8-Methyl-5,7-dioxo-6-[4-(2H-tetrazol-5-yl)-benzyl]-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-6-[4-(morpholine-4-carbonyl)-benzyl]-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-(6-Fluoro-quinolin-2-ylmethyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

2-[2-(4-Fluoro-benzylcarbonyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-5-methoxy-pyrimidine-4-carboxylic acid methyl ester;

6-But-2-ynyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-5,7-dioxo-6-(2-oxo-2H-1-benzopyran-6-ylmethyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-(4-Methanesulfonyl-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

6-(3-Cyano-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

6-[2-(4-Chloro-benzenesulfonyl)-ethyl]-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

8-Methyl-5,7-dioxo-6-(4-sulfamoyl-benzyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

6-(4-Cyano-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;

8-Methyl-5,7-dioxo-6-(3-oxo-3-phenyl-propyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-5,7-dioxo-6-(1-phenyl-ethyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-5,7-dioxo-6-(2-phenylmethanesulfonyl-ethyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-(5-Cyano-pentyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-(E)-But-2-enyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-5,7-dioxo-6-(E)-pent-2-enyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-sec-Butyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-(2-Benzenesulfonyl-ethyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-(1-Ethyl-propyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-5,7-dioxo-6-pent-2-ynyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-(2-Benzenesulfonyl-ethyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-6-(3-methyl-but-2-enyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-[2-(4-Fluoro-benzenesulfonyl)-ethyl]-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-[3-(4-Fluoro-phenyl)-3-oxo-propyl]-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

6-(2-Benzoylamino-ethyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;
8-Methyl-5,7-dioxo-6-(2-phenoxy-ethyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;
6-(3,4-Dichloro-benzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;
6-(4-Cyano-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-methoxy-benzylamide; and
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (tetrahydro-furan-2-ylmethyl)-amide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-fluoro-benzylamide;
6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-fluoro-benzylamide;
6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methyl-benzylamide;
8-Methyl-5,7-dioxo-6-pyridin-4-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;
6-(4-Methoxy-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;

8-Methyl-5,7-dioxo-6-pyridin-4-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;

6-(4-Methanesulfonyl-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;

8-Methyl-5,7-dioxo-6-(4-sulfamoyl-benzyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;

6-(4-Dimethylsulfamoyl-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;

8-Methyl-5,7-dioxo-6-pyridin-3-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;

8-Methyl-5,7-dioxo-6-pyridin-2-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-methoxy-benzylamide;

6-(3-Methoxy-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-methoxy-benzylamide;

6-(3-Methoxy-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)-amide;

6-Benzo[1,3]dioxol-5-ylmethyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)-amide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methylsulfanyl-benzylamide;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dichlorobenzylamide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxybenzylamide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-(4-Pyridylmethyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide hydrochloride;
6-(4-Chlorobenzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dichlorobenzylamide;
6-(4-Chlorobenzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-(3,4-Dichlorobenzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-Benzoyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-fluoro-benzylamide;
6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;
6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid biphenyl-4-ylamide;
6-Benzyl-8-formyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide; and
6-Benzyl-8-hydroxymethyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide.

Claim 17 (previously presented). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

4-[2-(4-Methoxy-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid methyl ester;

4-[2-(3-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid methyl ester;

4-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-ylmethyl]-benzoic acid methyl ester;

6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester;

6-Benzyl-3-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid methyl ester;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid methyl ester;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid pyridin-4-ylmethyl ester;

6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid pyridin-4-ylmethyl ester;

8-Methyl-5,7-dioxo-6-pyridin-4-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzyl ester; and

6-Benzyl-3-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester.

Claim 18 (previously presented). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

6-Benzoyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-(4-Chlorobenzyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;

6-Pyridin-4-ylmethyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

8-Methyl-thiazolo[3,2-c]pyrimidine-5,7-dione;

8-Methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid;

6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid;

4-(8-Methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidin-6-yl-methyl)-benzoic acid tert-butyl ester; and

8-Methyl-6-[4-(Morpholine-4-sulfonyl)benzyl]-thiazolo[3,2-c]pyrimidine-5,7-dione.

Claim 19 (previously presented). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-amino-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-ethoxy-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-hydroxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methyl-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(4-Chloro-3-bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methylamino-pyridin-4-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-3-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-amino-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-ethoxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methoxy-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(4-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3,4-Dibromo-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(4-Bromo-3-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3,4-Difluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3-Bromo-4-chloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(3-Chloro-4-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(4-Chloro-3-fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (6-methyl-pyridin-3-ylmethyl)-amide;

6-(4-Cyano-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide; and

6-(4-Isopropylsulfamoyl-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide.

Claim 20 (previously presented). The compound according to Claim 11, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

8-Methyl-5,7-dioxo-6-(3-oxo-3-phenyl-propyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluoro-benzylamide;

8-Methyl-6-(1-phenylethyl) 5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

8-Methyl-5,7-dioxo-6-(2-phenylmethanesulfonyl-ethyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

6-(5-Cyano-pentyl)-8-Methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

6-(E)-But-2-enyl-8-Methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

8-Methyl-5,7-dioxo-6-(E)-pent-2-enyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

6-sec-Butyl-8-Methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

8-Methyl-6-(2-methyl-allyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

6-(1-Ethyl-propyl)-8-Methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

8-Methyl-5,7-dioxo-6-pent-2-ynyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

6-(2-Benzensulfonyl-ethyl)-8-Methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

8-Methyl-6-(3-methyl-but-2-enyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

6-[2-(4-Fluoro-benzensulfonyl)-ethyl]-8-Methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

6-[3-(4-Fluoro-phenyl)-3-oxo-propyl]-8-Methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

8-Methyl-5,7-dioxo-6-{2-[(1-phenyl-methanoyl)-amino]-ethyl}-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide;

8-Methyl-5,7-dioxo-6-(2-phenoxy-ethyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-fluorobenzylamide; and

{5-[2-(4-Fluoro-benzylcarbamoyl)-8-methyl-5,7-dioxo-7H-thiazolo[3,2-c]pyrimidine-6-ylmethyl]-isoxazol-3-yl]}-carbamic acid methyl.

Claim 21 (previously presented). A pharmaceutical composition, comprising a compound of Claim 11, or a pharmaceutically acceptable salt thereof, admixed with a pharmaceutically acceptable carrier, diluent, or excipient.

Claims 22 to 25 (canceled).

Claim 26 (previously presented). A method for treating a rheumatoid arthritis, comprising administering to a patient suffering from such a disease an effective amount of a compound of Claim 11, or a pharmaceutically acceptable salt thereof.


Claim 27 (previously presented). A method for treating a osteoarthritis, comprising administering to a patient suffering from such a disease an effective amount of a compound of Claim 11, or a pharmaceutically acceptable salt thereof.

Claim 28 (canceled).

Claim 29 (previously presented). A method for treating a inflammation, comprising administering to a patient suffering from such a disease an effective amount of a compound of Claim 11, or a pharmaceutically acceptable salt thereof.

Claims 30 and 31 (canceled).

Claim 32 (previously presented). A compound of Formula III



III

and the pharmaceutically acceptable salts thereof;

wherein:

R^1 is H, C_1 - C_6 alkyl, NO_2 , NR^5R^6 , CHO, or halo;

m is an integer from 0 to 6;

R^5 and R^6 independently are hydrogen, C_1 - C_6 alkyl, $(CH_2)_m$ aryl,

$(CH_2)_m$ heteroaryl, or taken together with the nitrogen to which

they are attached complete a 3- to 7-membered ring;

R^2 is CO_2CH_2 aryl, CO_2CH_2 heteroaryl, $CONHCH_2$ aryl, or $CONHCH_2$

heteroaryl, wherein the aryl and heteroaryl groups are

unsubstituted or substituted,

R^3 is H, and

R^4 is CH_2 aryl, CH_2 substituted aryl, CH_2 heteroaryl, or CH_2 substituted

heteroaryl;

wherein:

NR^4R^5 is amino, methylamino, di-isopropylamino, acetyl amino,

propionyl amino, 3-aminopropyl amino, 3-ethylaminobutyl amino,

3-di-n-propylamino-propyl amino, 4-diethylaminobutyl amino, and

3-carboxypropionyl amino; or R^4 and R^5 can be taken together

with the nitrogen to which they are attached to form a ring having

3 to 7 carbon atoms and 1, 2, or 3 heteroatoms selected from the

group consisting of nitrogen, substituted nitrogen, oxygen, and

sulfur;

substituted aryl is phenyl or naphthyl substituted by 1, 2, or 3 groups independently selected from the group consisting of alkyl, alkoxy, alkoxycarbonyl, thio, thioalkyl, (C₁-C₆ alkyl)sulfanyl, (C₁-C₆ alkyl)sulfonyl, halo, hydroxy, (CH₂)₀₋₆CO₂R⁷, trifluoromethyl, trifluoromethoxy, nitro, amino of the formula -NR⁴R⁵, C(=O)NR⁵R⁶, N(R⁴)C(=O)OR⁵, T(CH₂)_mQR⁴, and T(CH₂)_mCO₂R⁴, wherein m is 1 to 6, T is O, S, NR⁴, N(O)R⁴, NR⁴R⁶Y, or CR⁴R⁵, Q is O, S, NR⁵, N(O)R⁵, or NR⁵R⁶Y, wherein R⁴-R⁶ are as described above, and R⁷ is methyl, trichloroethyl, diphenylmethyl;

substituted heteroaryl is a thienyl, furanyl, pyrrolyl, isoxazolyl, isothiazolyl, imidazolyl, pyrazolyl, oxazolyl, thiazolyl, 1,2,4-oxadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, tetrazolyl, benzofuranyl, benzothienyl, indolyl, benzimidazolyl, benztriazolyl, benzoxazolyl, benzthiazolyl, pyridinyl, pyrimidinyl, quinolinyl, isoquinolinyl, or 2-oxo-2H-1-benzopyranyl that is substituted on a carbon atom by 1, 2, or 3 groups independently selected from the group consisting of alkyl, alkoxy, alkoxycarbonyl, thio, thioalkyl, (C₁-C₆ alkyl)sulfanyl, (C₁-C₆ alkyl)sulfonyl, halo, hydroxy, (CH₂)₀₋₆CO₂R⁷, trifluoromethyl, trifluoromethoxy, nitro, amino of the formula -NR⁴R⁵, C(=O)NR⁵R⁶, N(R⁴)C(=O)OR⁵, T(CH₂)_mQR⁴, and T(CH₂)_mCO₂R⁴, wherein m is 1 to 6, T is O, S, NR⁴, N(O)R⁴, NR⁴R⁶Y, or CR⁴R⁵, Q is O, S, NR⁵, N(O)R⁵, or NR⁵R⁶Y, wherein R⁴-R⁶ are as described above, and R⁷ is methyl, trichloroethyl, diphenylmethyl and optionally further substituted on a ring nitrogen atom with (C₁-C₆ alkyl) C(=O), C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₁₀ alkynyl, or benzyl.

Claims 33 and 34 (canceled).

Claim 35 (currently amended). A compound selected from the group consisting of:

- 6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-fluoro-benzylamide;
- 6-(3-Fluoro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-fluoro-benzylamide;
- 6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
- 6-(3,4-Dichloro-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methyl-benzylamide;
- 8-Methyl-5,7-dioxo-6-pyridin-4-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid pyridin-4-ylmethyl ester;
- 6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid pyridin-4-ylmethyl ester;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;

- 6-(4-Methoxy-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;
- 8-Methyl-5,7-dioxo-6-pyridin-4-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzylamide;
- 8-Methyl-5,7-dioxo-6-pyridin-4-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxy-benzyl ester;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;
- 6-(4-Methanesulfonyl-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;
- 8-Methyl-5,7-dioxo-6-(4-sulfamoyl-benzyl)-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;
- 6-(4-Dimethylsulfamoyl-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;
- 8-Methyl-5,7-dioxo-6-pyridin-3-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;
- 8-Methyl-5,7-dioxo-6-pyridin-2-ylmethyl-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dimethoxy-benzylamide;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-methoxy-benzylamide;

- 6-(3-Methoxy-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-methoxy-benzylamide;
- 6-(3-Methoxy-benzyl)-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)-amide;
- 6-Benzo[1,3]dioxol-5-ylmethyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)-amide;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carbothioic acid benzylamide;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carbothioic acid 4-methoxy-benzylamide;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methylsulfanyl-benzylamide;
- 6-Benzyl-3-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester;
- 6-Benzyl-8-mentyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dichlorobenzylamide;
- 6-Benzyl-8-mentyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 4-methoxybenzylamide;
- 6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
- 6-(4-Pyridylmethyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide hydrochloride;
- 6-(4-Chlorobenzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3,4-dichlorobenzylamide;
- 6-(4-Chlorobenzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;

6-(3,4-Dichlorobenzyl)-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-Benzoyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzylamide;
6-Benzyl-8-methyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid 3-fluoro-benzylamide;
6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide hydrochloride;
6-Benzyl-2-(3-phenyl-propionyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;
6-Benzyl-2-(hydroxy-phenyl-methyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;
6-Benzyl-5,7-dioxo-6,7-dihydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid biphenyl-4-ylamide;
6-Benzyl-2-(1-hydroxy-3-phenyl-propyl)-thiazolo[3,2-c]pyrimidine-5,7-dione;
6-Benzyl-5,7-dioxo-2,3,6,7-tetrahydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester;
6-Benzyl-5,7-dioxo-2,3,6,7-tetrahydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid benzyl ester;
6-Benzyl-5,7-dioxo-2,3,6,7-tetrahydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid pyridin-4-ylmethyl ester hydrochloride;
6-Benzyl-5,7-dioxo-2,3,6,7-tetrahydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid;
6-Benzyl-5,7-dioxo-2,3,6,7-tetrahydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid pyridin-4-ylmethyl ester hydrochloride;
6-Benzyl-5,7-dioxo-2,3,6,7-tetrahydro-5H-thiazolo[3,2-c]pyrimidine-2-carboxylic acid (pyridin-4-ylmethyl)-amide; and
6-Benzyl-1,5,7-trioxo-1,2,3,5,6,7-hexahydro-1H-thiazolo[3,2-c]pyrimidine-3-carboxylic acid benzyl ester; .

Claims 36 and 37 (canceled).

Claim 38 (original). A pharmaceutical composition comprising a compound of Claim 32 together with a pharmaceutically acceptable carrier, diluent, or excipient.

Claims 39 to 42 (canceled).

Claim 43 (previously presented). A method for treating osteoarthritis comprising administering to a patient having cancer and in need of treatment an anticancer effective amount of a compound of Claim 32.

Claim 44 (previously presented). A method for treating rheumatoid arthritis comprising administering to a patient having cancer and in need of treatment an anticancer effective amount of a compound of Claim 32.